

C.S.

INDUSTRIES
(Tussac)

1927.

No.

277/27

C.E. "T"

Stock Inspector

SUBJECT.

1927

21st June, 1927

IMPROVEMENT OF TUSSAC ON ROSS ROAD.

Previous Paper.

MINUTES.

Minute from Stock Inspector of 21st June, 1927.

Chief Inspector of Stock.

Approved. Please arrange

accordingly. I will have the necessary notices

printed if you will kindly direct to

the Chief Clerk exactly what is required.

2. Col. Rogers will no doubt assist

in the matter of the transport of

pieces of the seat mould at this

papers should go to L to take for

Subsequent Paper.

requisite action.

J. Miller

Q. C. Sec.

22.6.27

The Chief Clerk
Secy.

As instructed in para 1

of 4th Col. Secy. minute 22/6/27 I should
suggest that a notice (painted) on a board
at each end of the plantation would
meet requirements.

The notices could be

painted as follows.

Notice.

Any persons or persons found
damaging the tussock in this plantation
is liable to be prosecuted.

W. C. Carter
C. C. Secy.
23/8/27

Chief Inspector of Works.

Please arrange for notice-boards
to be erected accordingly with the following
wording " Notice

Any person found damaging the
tussock in this plantation will be prosecuted

By Order "

Inside Minute Paper.

2. Necessary action should be taken by you in conjunction with the Civil Engineer for the transport at placing of peat mounds on the plantation as directed in para 2 of my minute of 22.6.27.

3. I fail to appreciate the reason for the delay of two months and you have allowed to lapse in dealing with the matter.

J. Muller

26.8.27

The Hon
Col. Sec

Arrangements have been made for the election of the Water Board as instructed.

The Public works Dept. have had the question of carting & distribution of peat mounds in hand for some time.

Per Carter
C.S.O.
29/8/27

Col. Pugh

For your report please

J. Pugh

29. 8. 27.

The Hon: Colonial Secretary.

Noted.

- 2. The Notice Boards are in hand and will be erected as soon as possible.
- 3. A small quantity of mould has been placed between plants, and instructions given for all the mould, from the various peat sheds, to be carted and spread accordingly.

P. Pugh
Col: Engineer.

30/8/27.

J. P. Submitted for information.

J. P. 30. 8. 27

Hon C.S
Thank you.
31. 8. 27. A.H

P. Pugh
31. 8. 27.



MINUTE PAPER.

Departmental Number.

From Chief Inspector of StockXVDate 21st June 1927To The Colonial Secretary

Improvement of tussock on Ross Road.

Reference
Numbers.

Some very good work has already been done towards the improvement of the tussock strip on Ross Road & I would like to suggest that a notice board be erected at each end of the strip requesting people to keep off the plants:

2. For the further improvement of this plantation I would also like to suggest that a large quantity of the flat mould accumulated at the different Government Sheds & sheds should be placed on the ground in between the tussock plants.

J. W. Carter
C. I. S.